

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : G06F 17/60	A1	(11) International Publication Number: WO 00/65518
		(43) International Publication Date: 2 November 2000 (02.11.00)
(21) International Application Number: PCT/US00/08742	(81) Designated States: CA, CN, JP, KR, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 21 April 2000 (21.04.00)		
(30) Priority Data: 60/130,602 22 April 1999 (22.04.99) US 60/147,673 6 August 1999 (06.08.99) US 09/553,012 20 April 2000 (20.04.00) US	Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(71) Applicant: SI DIAMOND TECHNOLOGY, INC. [US/US]; Suite 107, 3006 Longhorn Boulevard, Austin, TX 78758 (US).		
(72) Inventors: YANTV, Zvi; 5810 Long Court, Austin, TX 78730 (US). ELLER, Marc; 6615 Brookshire Drive, Dallas, TX 75230 (US).		
(74) Agents: KORDZIK, Kelly, K. et al.; Winstead Sechrest & Minick P.C., Suite 5400, 1201 Elm Street, Dallas, TX 75270 (US).		

(54) Title: SYSTEM AND METHOD FOR SELLING ADVERTISING SPACE ON ELECTRONIC BILLBOARDS OVER THE INTERNET

(57) Abstract

Electronic billboards (401), which may be indoor or outdoor are located in various geographic areas. Associated with each billboard is a web address (405). A client (404) desiring to display information, such as an advertisement, on any selected electronic billboard can upload the information over the Internet (403) to the server (402) implementing the billboard website. The client can select the time and duration for the information to be displayed, and can even purchase the display time using a credit card or through the use of some other type of account.



WO 00/65518

PCT/US00/08742

SYSTEM AND METHOD FOR SELLING
ADVERTISING SPACE ON ELECTRONIC BILLBOARDS
OVER THE INTERNET

TECHNICAL FIELD

The present invention relates in general to computer networks, and in particular, to performing e-commerce transactions over the Internet.

BACKGROUND INFORMATION

Electronic billboards are poised to transform the billboard industry by permitting multiple ads to be displayed on an electronic billboard at any desired time and frequency. Moreover, the transportation of the ads to a particular billboard can be made using any type of electronic means, including wireless transmission.

SUMMARY OF THE INVENTION

The present invention permits a user to access the billboard provider's website to order and upload a desired ad to a particular billboard anywhere within the world.

More specifically, an advertiser can upload advertising data to a server operating a particular billboard via a remote computer. Once approved for content, the advertising data can then be transmitted to the billboard for display at a time and duration selected by the advertiser.

The billboard to display the advertising information can be located indoors or outdoors.

Though the present invention is described with respect to the display of advertisements, any information, including video and still images can be uploaded and displayed on the indoor or outdoor billboards in accordance with the present invention.

The foregoing has outlined rather broadly the features and technical advantages of the present invention in order that the detailed description of the invention that follows may be

WO 00/65518

PCT/US00/08742

better understood. Additional features and advantages of the invention will be described hereinafter which form the subject of the claims of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

5 For a more complete understanding of the present invention, and the advantages thereof, reference is now made to the following descriptions taken in conjunction with the accompanying drawings, in which:

FIGURE 1 illustrates an example of billboard locations within the continental United States;

FIGURE 2 illustrates an electronic billboard;

10 FIGURE 3 illustrates a flowchart configured in accordance with the present invention;

FIGURE 4 illustrates a process for enabling a viewer of a billboard to receive other information about products advertised on that particular billboard; and

FIGURE 5 illustrates an architecture for transmitting data to and from various billboards.

15 DETAILED DESCRIPTION

In the following description, numerous specific details are set forth to provide a thorough understanding of the present invention. However, it will be obvious to those skilled in the art that the present invention may be practiced without such specific details. In other instances, well-known circuits have been shown in block diagram form in order not to obscure the present invention in unnecessary detail. For the most part, details concerning timing considerations and the like have been omitted in as much as such details are not necessary to obtain a complete understanding of the present invention and are within the skills of persons of ordinary skill in the relevant art.

20 Refer now to the drawings wherein depicted elements are not necessarily shown to scale and wherein like or similar elements are designated by the same reference numeral through the several views.

Outdoor billboards are located throughout the United States and even worldwide. Traditionally, billboards have been of the paper/poster type, where the ad on the billboard must be manually changed on a periodic basis using one or more workers. As a result, for a
30 definitive period of time, usually one month or longer, only a single ad can be displayed on any particular billboard.

WO 00/65518

PCT/US00/08742

Indoor billboards are also gaining a foothold by displaying on the inside walls, or other locations, information about products and special sales within the store. Again, the problem with such traditional posters and indoor billboards is that they must be manually changed, thus limiting their versatility and effectiveness.

5 Electronic billboards, such as the ones illustrated in FIGURES 2A and 2B, have the capability of displaying still or video images in a manner similar to a television or a computer display. FIGURE 2A illustrates an outdoor billboard 201 having an electronic display 200 configured in accordance with one embodiment of the present invention. FIGURE 2B illustrates an indoor electronic billboard 203 for displaying advertising information, or any
10 other information, on a wall 202 of the inside of the store. A processor and memory device, along with driver electronics and software are located at the electronic billboard site. The images to be displayed can be stored within the memory, and then are displayed in a desired manner using software. For example, a multitude of different ads can be displayed at different and preselected frequencies and durations of time. The ads can be uploaded to the billboard
15 system through a direct connection locally, or remotely using landlines, cable, satellite signaling, fiber optic cable, wireless transmissions, etc. As a result, a central location can upload various ads to various billboards located across the United States (FIGURE 1 illustrates an example of electronic billboards, noted by X's, throughout the United States), or even worldwide. Alternatively, any one or more of the billboards noted by the exemplary locations
20 on FIGURE 1 could be indoor billboards as described above.

The further advantage of the present invention is that it permits a client who wishes to purchase ad space on a particular electronic billboard to do so completely, or almost completely, without the intervention by the billboard provider.

25 Alternatively, a company utilizing indoor, or outdoor, billboards at store locations in various geographic areas, could upload any desired information to any selected billboard remotely. For example, if a particular company decided to run a Labor Day sale, it could merely upload an ad describing such sale to selected billboards at selected stores throughout the world.

30 Referring to FIGURE 3, a client who wishes to display their ad on a particular billboard somewhere within the world will log on to a network, such as the Internet or the Internet 2, and visit the website operated by the billboard provider. In step 302, the client may view a map of the United States, any other country, or even the entire world with indications where the

WO 00/65518

PCT/US00/08742

billboard provider's electronic billboards are located. Using a zoom feature, the client may zoom in on a particular location, such as New York City, to pinpoint the location of the electronic billboard, down to the precise city block. Furthermore, the client may view a photo of the billboard showing the billboard height, width, the direction the billboard is facing, etc.

5 Alternatively, even an image of an indoor billboard can be displayed to the client.

In step 303, the client will select a billboard. In step 304, a list of open times and their durations available for ad space at the selected billboard is provided to the client. The client, in step 305, can then select an available time slot and duration. Upon selection of the available time slot and duration, the cost for the ad space may be provided to the client in those instances where a fee is applicable. Such ad fee may be dependent on several factors, including the time of day during which the ad will be displayed.

10 In step 306, the client will purchase the desired amount of time (if applicable). Such a purchase could be made with a credit card, or the clients may already have an account set up with the billboard provider. Alternatively, a password could be required to be entered before being able to upload any software to the billboard.

15 In step 307, the client proceeds to prepare their own ad (or other information to be displayed) for display. As an alternative, the client may already have an ad, which the client may upload to the billboard provider. If the client needs to prepare an ad, it may do so using prepackaged software, such as PowerPoint™, or a software package may be downloaded from the billboard provider, which enables the client to create an ad. Once the ad is created, then the client may upload the created ad to a central location for approval by the billboard provider in step 308. It is contemplated that such an approval will be required so that the billboard provider can ensure that the displayed ad conforms to the local laws where the billboard is located. Nevertheless, certain pre-approved clients may be able to skip step 308 and upload their ad directly to the billboard system.

25 In step 309, once approved, the ad is scheduled by the billboard provider for download to the selected billboard system for display at the desired time and duration. Furthermore, a software key may be used by the billboard provider to ensure that only their own secure transmissions are sent to the billboards.

30 Referring to FIGURE 4, electronic billboards, such as electronic billboard 401 can be located anywhere within the world. In addition, each billboard may have its own website associated with it, wherein the website will be supported by server 405. Server 405 will

WO 00/65518

PCT/US00/08742

maintain the web page for billboard 401, and will be accessible by a user over the Internet 403 by going to www.billboard401.com. In the process described above with respect to FIGURE 3, an option may be given to the advertiser to provide further information regarding the ad to be displayed on billboard 401. Such additional information may include details about the product advertised, links to other web sites, etc. If the advertiser uploads such information, the ebillboard.net server 402 will then subsequently download that information to billboard 401.com. Subsequently, when an individual views that particular advertisement on billboard 401, somewhere on billboard 401 there will be a message that further information regarding products shown on the billboard 401 can be found at billboard401.com. This message could be displayed by the electronic billboard, or could merely be printed on the border of billboard 401. Then, when the person gets to their computer 404, and they access billboard401.com, they will be able to view the additional information provided by the advertiser. The foregoing will be performed for each individual billboard throughout the entire world, wherein each such billboard will have its own web page.

Each billboard could also broadcast, on particular wireless frequencies to passers by, information about the billboard or its ads, in a manner similar to the way airport information is broadcast to car radios when cars near an airport.

Referring to FIGURE 5, one of the issues regarding implementation of electronic billboards is the transmission of the data to and from the billboards in a wireless mode. Although cellular, satellite, fiber and cable technologies can perform this function, another viable transmission medium is radio frequency (RF) waves. By using voice mobile channels, for example, which cover distances up to 15 miles, the system would be able to digitally repeat data messages for other data links and at the same time provide data input/output services at a node (billboard). A path could include up to several repeaters. As a result, the system could easily cover 120-150 miles from a source location, which is connected by telephone, cellular modem, satellite, etc. to a central control center. Such a central control center 501 may house the ebillboard.net server 402. The link to the main link 502 in one city (e.g., Los Angeles) could be made by any type of telecommunications means, as described above. Likewise, the connection between control center 501 and the main link 506 (e.g., New York) could also be made by any type of telecommunications link. Each main link will then have a wireless connection to a first repeater node 503, 507, which are then connected by a wireless connection to the next repeater node 504, 508, which could then be coupled to the next repeater

WO 00/65518

PCT/US00/08742

node 505, 509 by another wireless connection. Each of these nodes involves a wireless repeater, and may be located at the various billboard sites within the particular locale. As a result, a main link can communicate with all the billboards within an area by wireless RF communications.

- 5 Although the present invention and its advantages have been described in detail, it should be understood that various changes, substitutions and alterations can be made herein without departing from the spirit and scope of the invention as defined by the appended claims.

WO 00/65518

PCT/US00/08742

WHAT IS CLAIMED:

1. A display system comprising:
an electronic billboard having an electronic display;
an information handling system coupled to the electronic display and operable for
5 controlling what is displayed on the electronic display;
a network coupled to the information handling system; and
a computer remotely located relative to the information handling system and coupled to
the information handling system via the network, the computer operable for receiving input for
sending information over the network to the information handling system for display on the
10 electronic display of the electronic billboard.
2. The display system as recited in claim 1, wherein the electronic billboard is located so
that it can be viewed by a plurality of people.
- 15 3. The display system as recited in claim 2, wherein the electronic billboard is an outdoor
billboard.
4. The display system as recited in claim 2, wherein the electronic billboard is an indoor
billboard.
20
5. The display system as recited in claim 1, wherein the network is an open network.
6. The display system as recited in claim 1, wherein the network is the Internet.
- 25 7. The display system as recited in claim 1, further comprising:
a second electronic billboard having a second electronic display;
a second information handling system coupled to the second electronic display and
operable for controlling what is displayed on the second electronic display, wherein the
network is also coupled to the second information handling system so that the computer can
30 upload information to be displayed to either or both of the electronic billboards.

WO 00/65518

PCT/US00/08742

8. A method for displaying information on an electronic billboard, comprising the steps of:

creating the information;

uploading the information to a first information handling system from a second

5 information handling system over a network; and

controlling a display of the information on the electronic billboard by the second information handling system.

9. The method as recited in claim 8, wherein the network is an open network.

10

10. The method as recited in claim 8, wherein the network is the Internet.

11. The method as recited in claim 10, wherein the electronic billboard is mounted for outdoor display of the information.

15

12. The method as recited in claim 10, wherein the electronic billboard is mounted for indoor display of the information.

13. The method as recited in claim 8, further comprising the step of mounting the electronic display for public viewing of the information to be displayed.

20

A method for displaying information on an electronic billboard, comprising the steps of:

providing a first electronic billboard at a first location;

coupling a first information handling system to the first electronic billboard so that the

25 first information handling system can control information to be displayed on the first electronic billboard;

providing a second electronic billboard at a second location;

coupling a second information handling system to the second electronic billboard so

that the second information handling system can control information to be displayed on the second electronic billboard;

30

coupling the first and second information handling systems to a third information handling system over the Internet;

WO 00/65518

PCT/US00/08742

selecting, via the third information handling system, which of the first and second electronic billboards will display the information;

uploading the information from the third information handling system over the Internet to the information handling system controlling the selected electronic billboard; and
5 displaying the information on the selected electronic billboard.

14. The method as recited in claim 14, further comprising the steps of:

selecting, via the third information handling system, a time period for displaying the information on the selected electronic billboard; and

10 displaying the information on the selected electronic billboard during the selected time period.

15. The method as recited in claim 14, wherein the selected electronic billboard is selected from a list of available electronic billboards which includes the first and second electronic
15 billboards.

16. The method as recited in claim 16, wherein the list includes a map of the first and second locations.

20 17. The method as recited in claim 16, further comprising the step of:
charging an amount of money for the display of the information on the selected electronic billboard.

25 18. A system for displaying information on an electronic billboard, comprising:
means for providing a first electronic billboard at a first location;
means for coupling a first information handling system to the first electronic billboard
so that the first information handling system can control information to be displayed on the first electronic billboard;

30 means for providing a second electronic billboard at a second location;
means for coupling a second information handling system to the second electronic billboard so that the second information handling system can control information to be displayed on the second electronic billboard;

WO 00/65518

PCT/US00/08742

means for coupling the first and second information handling systems to a third information handling system over the Internet;

means for selecting, via the third information handling system, which of the first and second electronic billboards will display the information;

5 means for uploading the information from the third information handling system over the Internet to the information handling system controlling the selected electronic billboard; and

means for displaying the information on the selected electronic billboard.

10 19. The system as recited in claim 19, further comprising:

means for selecting, via the third information handling system, a time period for displaying the information on the selected electronic billboard; and

means for displaying the information on the selected electronic billboard during the selected time period.

15

20. The system as recited in claim 19, wherein the selected electronic billboard is selected from a list of available electronic billboards which includes the first and second electronic billboards.

20 21. The system as recited in claim 21, wherein the list includes a map of the first and second locations.

22. The system as recited in claim 21, further comprising:

25 means for charging an amount of money for the display of the information on the selected electronic billboard.

23. A method of advertising, comprising the steps of:

uploading advertising data to an ebillboard.net server via a remote computer by an advertiser;

30 uploading additional information concerning the advertiser via the remote computer by the advertiser at the advertiser's option;

transmitting the advertising data from the ebillboard.net server to a selected billboard;

WO 00/65518

PCT/US00/08742

transmitting the optional additional information concerning the advertiser from the
ebillboard.net server to a web site dedicated to the selected billboard;
displaying on the selected billboard the advertising information at a selected time.

5 24. The method as recited in claim 24, wherein a consumer viewing the selected billboard
is informed of the availability of additional information concerning the advertiser at the web
site dedicated to the selected billboard.

10 25. The method as recited in claim 25, wherein the consumer viewing the selected billboard
accesses the additional information concerning the advertiser through the web site dedicated to
the selected billboard.

WO 00/65518

PCT/US00/08742

1/6




Fig. 1

SUBSTITUTE SHEET (RULE 26)

WO 00/65518

PCT/US00/08742

2/6




Fig. 2A




Fig. 2B


SUBSTITUTE SHEET (RULE 26)

WO 00/65518

PCT/US00/08742

3/6

Fig. 3



SUBSTITUTE SHEET (RULE 26)

WO 00/65518

PCT/US00/08742

4/6




Fig. 3

SUBSTITUTE SHEET (RULE 26)

WO 00/65518

PCT/US00/08742

6/6




Fig. 5

SUBSTITUTE SHEET (RULE 26)

WO 00/65518

PCT/US00/08742

5/6




Fig. 4

SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/08742

A. CLASSIFICATION OF SUBJECT MATTER		
IPC(7) :G06F 17/60 US CL :705/27 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) U.S. : 705/27		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WEST, JPO Abstracts Database, EPO Abstracts Database and IBM Technical Disclosure Bulletins		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,737,533 A (de HOND) 07 April 1998, Fig. 7 (100), col 9, lines 5-15, Fig. 2 (12), Fig. 1 (14a-h), Fig. 2 (14a), col 6, lines 23-35, Fig. 8 (98), col 8, lines 62-67, col 5, line 35- col 9, line 67.	1-25
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "B" earlier document published on or after the international filing date "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "Z" document member of the same patent family		
Date of the actual completion of the international search 23 JUNE 2000		Date of mailing of the international search report 21 AUG 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer Allen MacDonald Telephone No. (703) 305-9708

Form PCT/ISA/210 (second sheet) (July 1998)*

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BK	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LJ	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		